

No Skidding and the No Skidding logo are registered trademarks of No Skidding Products Inc., Toronto, Canada



Complete List Of Products



EXCELLENCE IN ENGINEERING



Southern
Engineering
Services Group

www.sesgroup.com.au

Southern Environmental Services Pty Ltd (ABN: 51 109 118 701) National Distributors for No Skidding® Products, Inc. Canada



No Skidding® Products Inc. manufactures and distributes the most complete range of slip injury prevention products available anywhere. Our products include a full range of anti slip floor coatings, slip resistant treatments, floor care products, slip resistant tapes - grit, vinyl and resilient.

Note: Terms and conditions are subject to change without notice. E & O.E.

Please read detailed instructions & MSDS before using any No Skidding products.

Limitation of Liability: The great variation between environmental factors, possible surfaces and application techniques, and the lack of control we have over such matters, must affect our policies. Products are guaranteed not to be defective when applied and used in accordance with instructions. However, liability whether express or implied, is limited to replacement of product or refund of purchase price and cannot include liability for labor costs or consequential damages. Because of the variety of circumstances affecting each job, it is the user's responsibility to determine the suitability and safety of the product for any particular application. This limited warranty may not be modified or extended by manufacturer's representatives, distributors, or dealers.

We particularly recommend that users always test in small inconspicuous areas before application to the entire surface. If you are chemically sensitive, always test for personal tolerance.

No Skidding and the No Skidding logo are registered trademarks of No Skidding Products Inc., Toronto, Canada



SES Bomond Trading Co.

49 Orchard Road
 Brookvale NSW 2100 Australia
 Phone +61 2 9939 1344
 Fax +61 2 9905 4799
noskidding@sesgroup.com.au

No Skidding® and the No Skidding® logo are registered trademarks of No Skidding Products Inc., Toronto, Canada. No Skidding® content is protected by copyright and is being reproduced with permission of No Skidding Products Inc., Toronto, Canada."





Complete List Of Products





- 4 NO SKIDDING® ANTI-SLIP TREATMENTS
- 5 CLEANERS & DEGREASERS, HIGH PERFORMANCE & SLIP RESISTANT
- 6 FLEX HIGHEST QUALITY SLIP RESISTANT FLOOR CARE FINISHES
- 8 PAINT COATINGS
- 8 COMMERCIAL QUALITY COATINGS
- 9 INDUSTRIAL QUALITY COATINGS AQUATUFF & EPO TUFF
- 11 SLIP RESISTANT PAINT COATINGS VULCAN RUBBER RESIN
- 12 VULCAN W.B WATERBASE
- 12 SUNDRY PAINT PRODUCTS
- 13 FLOOR SAFETY TAPES PEEL & STICK WITH WATERPROOF ADHESIVE FOR OUTDOOR USE

No Skidding® a Range of No Slip Industrial, Commercial and Marine Products





NO SKIDDING® ANTI-SLIP TREATMENTS

A safe, quick & easy method to increase the co-efficient of friction on natural stone floors. One application lasts for years. Low maintenance. Available in 3.8 litre, 20 litre & 209 litre pails

ITEM NO	DESCRIPTION	
90378	NO SKIDDING® INDUSTRIAL ANTI SLIP FLOOR TREATMENT Slip/Fall protection for hard floors made of ceramic, quarry tile, granite, terrazzo, and similar, porcelain tubs, shower floors and swimming pool decks. Formulated for industry. Invisible. No curing time. Put floor back into use immediately. Indoors & outdoors. Coverage is 10 sq m/litre. Waterbased. 3.8 litre treats 32 tubs. 4 x 3.8 litre bottle/case.	
80378	NO SKIDDING® PORCELAIN GRADE ANTI SLIP TREATMENT For porcelain tile and delicate surfaces. Indoors & outdoors. Coverage is 10 sq m/litre. 4 x 3.8 litre bottle/case.	
50378	HEAVY DUTY TREATMENT - CONCRETE For unsealed concrete surfaces indoors & outdoors. Coverage is 10 sq m/litre. 4 x 3.8 litre bottle/case.	
00501	TREATMENT RINSE COMPOUND For rinsing the surface after application to stop action of the above treatments. (One 0.4 kg. Pack required per 3.8 litre bottle of Treatment) 6 x 0.4 kg/case.	
10904	D.I.Y. ANTI SLIP BATHTUB TREATMENT - 120 ml Slip resistant treatment for porcelain enamel bathtubs and tile shower floors. 120 ml bottle will render one tub or shower stall slip resistant for years with a simple three minute application. Supplied in 24 x 120 ml cases	
10908	D.I.Y. ANTI SLIP TREATMENT - 240 ml One bottle will treat two tubs. Supplied in 12 x 240 ml bottles/cases	
10932	D.I.Y. ANTI SLIP TUB & TILE TREATMENT - 1 litre One bottle will treat 8 Porcelain tubs or 10 sq metre of floor tile.	

CLEANERS & DEGREASERS, HIGH PERFORMANCE & SLIP RESISTANT

ITEM NO	DESCRIPTION
8501	<p>ON GUARD - Heavy Duty, Super Concentrated Degreaser & Cleaner</p> <p>No Skidding® On Guard is a precise chemical formulation that will lift dirt and grease from the pores of tiles and concrete surfaces.</p> <p>This electrolytic releasing action helps restore the slip resistant quality of the original surface and will even remove old, hard caked on grease. On Guard is needed anywhere a hazardous condition exists due to a slippery floor. Suitable for restaurants, hotels, motels, hospitals, nursing homes, schools, universities, colleges, etc. Use as part of commercial kitchen slip proofing system. Highly concentrated. On Guard is easy to use, biodegradable, non acid. Free rinsing, Does not contain butyl or ammonia. Dilution ratios start from 120 ml per litre of water. Effective on hard grease, Yet Safe In Use. 3.8 litre & 20 litre.</p> 
8521	<p>ELECTRA GUARD - Heavy Duty Concentrated Degreaser</p> <p>Similar performance specifications as On Guard Dilutions start at 15mm per litre</p>
8301	<p>FLEXCLEAN - Heavy Duty, Concentrated All Purpose Electrolytic Cleaner</p> <p>Cleans surfaces totally. Does not leave a residue as with conventional quat. cleaners. Non caustic, no ammonia and no acid content. Electrolytically detaches soil from substrate. Recommended for cleaning surface before application of No Skidding® Industrial Anti Slip Treatment and to maintain surface after slip resistant treatment is applied. Use to preclean and maintain surfaces treated with our anti slip treatments. Dilution ratio start at 10ml per litre water. 3.8 litre & 20 litre.</p>
8321	<p>ELECTRACLEAN - General Purpose Concentrated Cleaner</p> <p>Food safe. Ideal for floors in restaurants, kitchens, fast food operations, industrial plants, laundries, hallways etc. Biodegradable, septic tank safe. Highly concentrated. Very economical. 3.8 litre & 20 litre.</p>
8302	<p>FLEXCLEAN - Anti-Bacterial Cleaner</p> <p>Food safe. Ideal for floors in restaurants, kitchens, fast food operations, industrial plants, laundries, hallways etc. Biodegradable, septic tank safe. Highly concentrated. Economical. Same performance as Flexclean #8301. 3.8 litre & 20 litre. 4 x 3.8 litre/case.</p>
8601	<p>TAG Tile & Grout Cleaner</p> <p>Ceramic and porcelain tile and grout cleaner. For a small area, fill a spray bottle with TAG and spray generously. Leave for 2 min. Lightly agitate, rinse with clean water. Mop apply on larger areas.</p> <p>Do not use on marble or stone. 4 x 3.8 litre/case.</p> 
70378	<p>TRAX</p> <p>Slip resistant cleaner and maintainer that is formulated for vinyl, linoleum, marble, terrazzo, acrylic surfaces & floor finishes. Dries to a low sheen finish. Highly concentrated waterbased. Can be buffed to a gloss. Concentrated, as little as 120 ml per litre. Deposits an Anti-Slip film on surface.</p>

71378

SRC

General use cleaner formulated for glazed tiles, quarry tile, terrazzo, urethane sealed floors, epoxy and other types of painted floors. Dries to a matt finish. Can be buffed. Highly concentrated. Waterbased. Concentrated, as little as 120ml per litre. Deposits an Anti-Slip film on surface.
4 x 3.8 litre/case.

SSC141

SSC - Safety Solvent Cleaner - 141

A highly effective solvent for removing skid marks, tar, crayon, adhesive, graffiti, marker, and many difficult materials in a multitude of problem situations. Water soluble, environmentally friendly. Excellent in parking garages, ramps, etc. Please ask for detailed product data sheet. Ready to use.
4 x 3.8 litre/case.

8180

ANTI-STATIC SURFACE SPRAY

To control static problems. Anti-static liquid is applied with sprayer directly to surface. Especially for computer rooms and all areas where static is a problem. Dilutes up to 1:10 with water. Ideal on vinyl, carpet, etc.
3.8 litre & 20 litre. 4 x 3.8 litre/case.

FLEX HIGHEST QUALITY SLIP RESISTANT FLOOR CARE FINISHES

ITEM NO	DESCRIPTION
8002	<p>FLEXFINISH H.T. - (High Traffic) Slip Resistant Floor Care Finish High Gloss</p> <p>For floors subject to high traffic. Burnishing recommended. Cures in 15 minutes, enabling rapid recoating. FlexFinish cures from the bottom to the surface. Coverage is up to approx 75 sq metres per litre, 1 coat on non-porous surfaces. FlexFinish is self sealing, non powdering, non yellowing, versatile, easily applied, has excellent scuff & scratch resistance and is slip resistant. 3.8 litre & 20 litre.</p>
8101	<p>FLEXFINISH - Satin Slip Resistant Floor Care Finish 32% Solids</p> <p>Burnish or dry bright. Low lustre. Cures in 15 minutes, simply mop on and allow to dry. FlexFinish cures from the inside to the surface. Coverage is up to approx 75 sq metres per litre: 1 coat on non-porous surfaces. Recommended for Seniors facilities. Flexfinish is self sealing non powdering, non yellowing, versatile, easily applied, has excellent scuff & scratch resistance and is slip resistant. 4 x 3.8 litre/case.</p>
8401	<p>FLEXSEAL</p> <p>An effective sealer / undercoat that replaces resilience in vinyl floors. Does not contain styrene. Provides ideal base for Flexfinish high gloss or satin. Enhances bond of any quality finish to vinyl substrate. Coverage approx 75 sq metres per litre: 1 coat. 3.8 litre & 20 litre.</p>

8201

FLEXSTRIP

Electrolytic Floor Stripping Process reduces stripping time, is safer to use, and uses a selective implosion method to emulsify old floor finishes resulting in less slipperiness during stripping. Safe on all floors. Does not contain ammonia. CONCENTRATED. 3.8 litre & 20 litre.

8203

FLEX SURFACE PREP & NEUTRALISER - Highly Concentrated

Neutralizing rinse after wax stripping to remove all alkali residue before application of FLEXFINISH or MAXIFLEX. 4 x 3.8 litre/case.

8702

LOW LUSTRE

MAXIFLEX Low Lustre

For indoor use. Suitable for floors where there is a concern for slip injury prevention combined with the need for a durable, clear finish. Rapid drying, recoatable in 15 minutes. Coverage is approx. 75 sq metre/litre: 1 coat. Very good scuff and scratch resistance. Self sealing. For increasing traction on dry, slippery surfaces caused by dust residue and on smooth surfaces such as porcelain tile. Also on resilient floors that get wet or greasy such as fast food restaurants, hospital operating rooms, senior care, etc. Non-powdering. Ultra-violet light resistant. for use in food industries. 4 x 3.8 litre/case.

8703

MAXIFLEX H.T. - (High Traffic) Highly Slip Resistant Clear Floor Finish

Slip Resistant Floor Care Finish for natural stone & vinyl. Imparts increased slip resistance to wet or dry surfaces. A durable easy to apply finish for use on fine floor surfaces such as vinyl, linoleum, wood, ceramic, terrazzo, marble, quarry tile or stone. Water based, no odor, non-yellowing. Coverage is approx 75 sq metre/litre per coat on non-porous surfaces. For floors subject to high traffic. 4 x 3.8 litre/case.

8801

No Skidding® ASSET - Anti-Slip Stain Sealer & Treatment

No Skidding® ASSET seals and increases the static coefficient of friction on most surfaces including: Grout, quarry tile, ceramic tile, glazed tile, granite, marble, limestone, terrazzo, saltillo tile, slate, flagstone, concrete, brick, travertine, porcelain tile. A unique water based product that protects tile by penetrating into the surface and forms an invisible barrier that is resistant to moisture and to staining while allowing vapor to escape. It is not a surface coating that will alter the look of the surface, can be used indoors and outdoors. Average coverage is about approx 50 sq metre/litre. 4 x 3.8 litre/case.



8901

No Skidding® PASS – Porous Anti Slip Surface Sealer

No Skidding® Porous Anti Slip Surface Sealer (PASS) is a water-based indoor/outdoor hard surface sealer that provides superior resistance to grease, moisture, solvents and other foreign materials, for concrete, terra cotta, brick, pavers, Saltillo tiles, as well as many unglazed ceramic tiles. PASS can achieve a high gloss in as few as 2 coats. With optional micro traction booster for added slip resistance as required. Coverage is up to approx 50 sq metre/litre.

Paint Coatings

Available slip resistant and no profile. Commercial and tough industrial quality products, durable, most are chemical resistant. Please inquire for product specification data.

TRACTION GRANULES - Granules include metal oxides, tempered glass, polymers, crushed rock, in a complete range of profiles for clear and colours.

Packing: 2 x 3.8 litre per case & 19 litre pails 1 Gallon = 3.78 litres / 5 Gallons = 18.9 litres.

Available in: High Profile. Also Low Profile in Fine, Medium, Coarse & Regular (No Profile). Product specification data sheets and MSDS are available on request. All one part Epoxies are non-catalyzed.

COMMERCIAL QUALITY COATINGS

ITEM NO	DESCRIPTION
79015 Grey 79017 Green 79019 Tile Red 79020 Yellow 79021 Black 79022 Beige 79023 Sand	EPICOTE EPOXY - Slip Resistant Floor Coating - Heavy Duty Pedestrian Grade High Profile With Integrated Traction Grit. ONE PART SYSTEM For interior use on wood, concrete or steel surfaces that require safe footing. Resistant to mild alkalis, acids and oils. Apply with brush or roller. Coverage approx. 4 sq metre/litre. Clean up with Mineral Spirits. 2 x 3.8 litre bottle/case.
79023T Clear 76001T Grey 76003T Tile Red 76008T Yellow 76000T White 76012T Black	EPICOTE EPOXY - Slip Resistant Floor Coating - Heavy Duty Pedestrian Grade Low Profile With Tempered Traction Granules. ONE PART SYSTEM For interior use on wood, concrete or steel surfaces that require safe footing. Resistant to mild acids, alkalis, grease, oil. Durable tough finish. Apply with brush or roller. Covers approx. 10 sq metre/litre. Clean up with Mineral Spirits. Traction granules are supplied in separate pre-measured packs and must be added to coating, available in fine or medium. 2 x 3.8 litre bottle/case.
79140 Clear 76001 Grey 76003 Tile Red 76008 Yellow 76000 White 76012 Black	EPICOTE EPOXY - Finish Coat & Sealer - One Part Hard Wearing & Chemical Resistant. Regular No Profile Not Slip Resistant For use on floors, machinery, etc. For concrete factory floors and wooden gymnasium floors. Tough, durable and convenient, one component application. An economical concrete floor sealer and finish for industrial use in manufacturing operations, warehouses etc., a tough, durable, lustrous finish. For interior use on wood, concrete or steel surfaces. Resistant to acids, oil, alcohol, fruit juice, cleaners, and moisture. Recommended as a sealer on concrete to prevent dusting and deteriorating. Apply with brush or roller. Coverage: 10 sq metre/litre, one coat. On non porous surfaces.
79WBC Clear 79WBG Grey 79WBW White	EPICOTE EPOXY W.B. - Waterbase One Part Slip Resistant Floor Coating Low Profile. Safe, durable and suitable for food industry and where chemical solvents would be a concern. Non-flammable. For use on wood, steel, previously painted surfaces etc. Fast dry. Additional colours available to order. Coverage 7 sq metre/litre.

79QDC Clear
79QDG Grey
79QDW White

EPICOTE EPOXY Q.D. - Quick Dry One Part Slip Resistant Floor Coating

Low profile. Solvent base. Very rapid drying for getting the job done quickly. For use on wood, steel, previously painted surfaces. Glass fiber additional colours available to order. Coverage 7 sq metre/litre. Indoors and outdoors use. Anti-Slip grit integrated into product. 4 x 3.8 litre/bottle.

11930C Clear
11930W White
11930G Grey
11930B Black
11930Y Yellow

EPOXY SLIP RESISTANT TEXTURED AEROSOL SPRAY

For use indoors and outdoors. A slip resistant epoxy spray that cures to a hard, textured finish. Adheres to fiberglass, wood, steel, concrete and other surfaces where a slip resistant finish is desired. Effective on steps, ramps, loading docks, bathtubs, shower floors, fire escape ladders, stair treads, pool surrounds, boat decks and around machinery. Self priming on most surfaces. Special nozzle helps to prevent blockage. Quick drying. Available in gallon cans. See Product 79QD. Additional colours available: 350 ml. Spray Cans 12/case



11935C

ACRYLIC SLIP RESISTANT TEXTURED AEROSOL SPRAY – CLEAR

No Skidding® Slip Resistant Acrylic Clear Aerosol Spray, product no. 11935C is a clear acrylic resin blend that dries rapidly and retains translucency, durability, flexibility and non yellowing characteristics. Does not have an amber hue as is the case with clear epoxies. Suitable for wood, concrete, acrylic. Coverage up to 2.4 sq metre per aerosol.

11940C Clear
11940W White
11940G Grey
11940B Black
11940Y Yellow

MARINE EPOXY SLIP RESISTANT TEXTURED AEROSOL SPRAY

Specific to marine market. Suitable for boat decks and marinas. Covers 2.4 sq metre per aerosol. 350 ml spray cans 12/case.



INDUSTRIAL QUALITY COATINGS AQUATUFF & EPO TUFF

are supplied in kits consisting of resin & cure.

ITEM NO	DESCRIPTION
78001T Clear	AQUA TUFF - 2 Part Slip Resistant Waterbase Epoxy.
78002T White	Available with Traction Granules. Not affected by brake fluid. Ideal for garage service bays.
78003T Grey	Hard wearing. Resists aviation, gasoline and skydrol. May be applied to oil-stained floors.
78007T Red	Colours coverage approx. 5 sq metres/litre in colours. 8 sq metre/litre clear. Additional colours available to order.
78008T Black	
78009T Az. Blue	
78011T Safety Blue	
78013T Yellow	
78023T Sand	

78001 Clear
78002 White
78003 Grey
78007 Red
78008 Black
78009 Az. Blue
78011 Safety Blue
78013 Yellow
78023 Sand

AQUA TUFF - 2 Part Waterbase Epoxy No Profile Not Slip Resistant.

Chemical and abrasion resistant. Not affected by brake fluid. Ideal for garage service bays. Solvent free regular or slip resistant. Hard wearing. Resists aviation, gasoline and skydrol. May be applied to oilstained floors. Coverage approx. 5 sq metres/litre. Clear 8 sq metres/litre per coat. Additional colours available to order.



ES-83

EPO-TUFF ES-83 - 2 Part Epoxy System

8 litre kit. For extreme wear conditions. Very heavy duty. 83% solids. Available in grey, tile red, black and white. Inquire about other colours No Profile. Suitable for factories, warehouses, parking garages, tow-motor traffic. Spreading rate up to 5 sq metres/litre at 5 mm thickness.

ES-83-5

EPO-TUFF ES-83-5 2 Part Epoxy System - 20 litre kit

Packed in 2 x 10 litre containers. Coverage is approx 125 sq metres per kit.

ES-83T

For extreme wear conditions. Very heavy duty. 83% solids. Available in grey, tile red, black and white. Inquire about other colours. Slip Resistant Profile. Suitable for factories, warehouses, parking garages, tow-motor traffic. Spreading rate up to approx 5 sq metre/ litre 5 ml thickness.

ES-83-5T

20 litre kit, packed in 2 x 10 litre containers. Coverage is 125 sq metre per kit.

EWB-36

EWB-36 - Waterborne, Regular

A high performance clear waterborne epoxy. Acrylic coating suitable for steel, concrete, wood, VCT, tile, etc. Gloss finish.

EWB-36T

EWB-36 - Waterborne, Slip Resistant

A high performance clear waterborne epoxy. Acrylic coating suitable for steel, concrete, wood, VCT, tile, etc. Gloss finish. Supplied with anti slip polymer aggregate.



AU-73

EPO-TUFF AU-73 2 Part Clear Aliphatic Urethane System - 3.8 litre kit

A high build, high solids durable system that resists impact & and abrasion. Suitable for most interior/exterior surfaces. Coverage is approx 30 sq metre per kit at 5 mm thickness. Rapid cure. **No profile.**



AU-73T

EPO-TUFF AU-73T 2 Part Clear Aliphatic Urethane System - 3.8 litre kit

A high build, high solids durable system that resists impact & and abrasion. Suitable for most interior / exterior surfaces. Coverage is approx 30 sq metre per kit at 5 mm thickness. Rapid cure. **Slip resistant.**

SLIP RESISTANT PAINT COATINGS VULCAN RUBBER RESIN

ASK FOR DETAILED PRODUCT DATA SHEETS

Available slip resistant & no profile, durable, easy to use. Chemical resistant. Highly U.V resistant. Recommended for outdoor & Indoor use.

ITEM NO	DESCRIPTION
99002 Grey	VULCAN U.V. High Profile - Heavy Duty Pedestrian Grade Slip Resistant Floor Coating. Contains heavy integrated traction grit. For interior and exterior use on wood, concrete or steel surfaces that require safe footing. Incorporates anti slip aggregates to the hazards of slipping areas. Resistent to weathering, abrasion and mild chemical. Ideal for around pools, steps, ramps, sidewalks, etc. ONE PART SYSTEM. Ideal for old or new concrete. Coverage approx 3 sq metres per litre. 2 x 3.8 litres/case.
99003 Green	
99004 Tile Red	
99005 Yellow	
99006 Black	
99007 Han. Blue	
99011 White	
99013 Sand	
97301 Light Grey	Super Acrylic High Profile Slip Resistant Coating #97300 Series is a tough, abrasive, anti-slip coating for a variety of interior and exterior applications. This product significantly reduces the chances of slipping, although this product cannot totally prevent the possibility of slipping. It is low odour and low VOC. Soap and water cleanup. RECOMMENDED USES: Suitable for use on walkways, steps, ramps, locker room floors, boat decks, and a variety of other interior and exterior concrete, wood and metal surfaces that have been properly prepared. This product is not for use in areas where it will be underwater; it is also not for use on garage floors or other areas of wheeled vehicle traffic. Coverage approx 3 sq metre per litre. 3.8 litre cans/case.
97302 Red	
97303 Black	
97304 Brown	
97305 Beige	
97306 H. Blue	
97308 Yellow	
97309 White	
97312 Clear	
97313 Green	



VULCAN W.B WATERBASE

Rubber Resin Slip Resistant Paint Coating. These water base products have similar performance characteristics to Vulcan U.V. (Solvent Base) Low V.O.C. Rapid recoatability. Very rapid curing. No odor, Non flammable. Chemical resistant. Water resistant. Very durable in all climates. Self priming. Excellent for exterior & interior use. Highly ultra-violet light resistant available.

ITEM NO	DESCRIPTION
56101-1 Grey	<p>Alkyd, URETHANE FORTIFIED - Slip Resistant Grey</p> <p>A tough, easy to apply one part coating. High gloss. General purpose. Spreading rate approx 10 sq metres per litre. 2 x 3.8 litre cans/case.</p>
SDP-1	Safe Deck Primer
SDB-1	Safe Deck Basecoat
SDT-CB-1	Safe Deck Finish Cedar Brown
SDT-COB-1	Safe Deck Finish Cottage Brown
SDT-CG-1	Safe Deck Finish Charcoal Grey
	<p>Safe Deck</p> <p>Safe Deck is a semi industrial, hardwearing 3 part acrylic system consisting of a primer, basecoat and colour finish. Safe Deck has been especially formulated for use on sundecks, balconies, boat decks, steps, concrete areas, tennis courts, basement floors etc. 2 x 3.8 litre cans/case.</p>

SUNDRY PAINT PRODUCTS

ITEM NO	DESCRIPTION
61378	<p>CERAMIC TILE PREP</p> <p>A simple method to prepare any ceramic or natural stone surface before the application of floor coatings. Use indoors and outdoors. Water based, minimal odor, not as aggressive as muriatic acid. For use on terrazzo slate, quarry tile, ceramic, before the application of a coating Improves adhesion. Coverage approx 10 sq metres per litre. 4 x 3.8 litre bottle/case.</p>

FLOOR SAFETY TAPES

PEEL & STICK WITH WATERPROOF ADHESIVE FOR OUTDOOR USE

ITEM NO	SIZE ROLLS	SIZE ROLLS	PER CASE	DESCRIPTION
NS5101B10	25mm x 3m	1" x 10ft	24	RETAIL D.I.Y. ANTI SLIP SAFETY TAPE - BLACK GRIT
NS5102B10	50mm x 3m	2" x 10ft	12	
NS5101B20	25mm x 6m	1" x 20ft	24	RETAIL D.I.Y. ANTI SLIP SAFETY TAPE - BLACK GRIT
NS5102B20	50mm x 6m	2" x 20ft	12	
NS5101C20	25mm x 6m	1" x 20ft	24	RETAIL D.I.Y. ANTI SLIP SAFETY TAPE - CLEAR GRIT
NS5102C20	50mm x 6m	2" x 20ft	12	
NS5101B	25mm x 18m	1" x 60ft	12	ANTI SLIP SAFETY TAPE - BLACK GRIT Anti-Slip High Traction Safety Tape 60 grit. Apply firm traction and durable protection, suitable for recreational areas such as playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment. Price per 18 metre roll.
NS5102B	50mm x 18m	2" x 60ft	6	
NS5103B	75mm x 18m	3" x 60ft	4	
NS5104B	100mm x 18m	4" x 60ft	3	
NS5106B	150mm x 18m	6" x 60ft	2	
NS5112B	300mm x 18m	12" x 60ft	1	
NS5118B	450mm x 18m	18" x 60ft	1	
NS5124B	600mm x 18m	24" x 60ft	1	
NS5136B	900mm x 18m	36" x 60ft	1	
NS5142B	1000mm x 18m	42" x 60ft	1	
NS5100B	14cm x 14cm 1.9cm x 60cm 15cm x 60cm	5.5" x 5.5" .75" x 24" 6" x 24"		STRIPS & CLEATS - BLACK GRIT Anti-Slip High Traction Safety Tape. 50 pcs/case.
NS5100B	23cm x 84cm	9" x 33"		SKATEBOARD GRIP Precut for most skateboards.
NS5201B	25mm x 18m	1" x 60ft	12	SAFETY TAPE - BLACK GRIT Anti-Slip, High Traction Safety Tape 80 grit. Long lasting for tough applications. Suitable for industrial areas, loading ramps, dock areas, walkways, stairwells, work areas, machine shops, industrial equipment, trucks & trailers Silicon carbide stone. Rubber adhesive. Price per 18 metre roll.
NS5202B	50mm x 18m	2" x 60ft	6	
NS5203B	75mm x 18m	3" x 60ft	4	
NS5204B	100mm x 18m	4" x 60ft	3	
NS5206B	150mm x 18m	6" x 60ft	2	
NS5212B	300mm x 18m	12" x 60ft	1	
NS5218B	450mm x 18m	18" x 60ft	1	
NS5224B	600mm x 18m	24" x 60ft	1	
NS5236B	900mm x 18m	36" x 60ft	1	
NS5248B	1219mm x 18m	48" x 60ft	1	



NS5200B	14cm x 14cm	5.5" x 5.5"		STRIPS & CLEATS - COARSE - BLACK GRIT	Anti-Slip, High Traction, long lasting for tough applications. PRICE PER 50 PCS/CASE with photoluminescent stripe (24 per case) with reflective stripe (24 per case)
	1.9cm x 60cm	.75" x 24"			
	15cm x 60cm	6" x 24"			
	15cm x 60cm	6" x 24" PS			
	15cm x 60cm	6" x 24" RS			
NS5301B	25mm x 18m	1" x 60ft	12	ANTI SLIP SAFETY TAPE - COARSE - BLACK GRIT	Anti-Slip, High Traction Safety Tape 48 grit. Long lasting for tough applications. Suitable for industrial areas, loading ramps, dock areas, walkways, stairwells, work areas, machine shops, industrial equipment, trucks & trailers Silicon carbide stone. Rubber adhesive.
NS5302B	50mm x 18m	2" x 60ft	6		
NS5303B	75mm x 18m	3" x 60ft	4		
NS5304B	100mm x 18m	4" x 60ft	3		
NS5306B	150mm x 18m	6" x 60ft	2		
NS5312B	300mm x 18m	12" x 60ft	1		
NS5318B	450mm x 18m	18" x 60ft	1		
NS5324B	600mm x 18m	24" x 60ft	1		
NS5336B	900mm x 18m	36" x 60ft	1		
NS5348B	1219mm x 18m	48" x 60ft	1		
NS5101C	25mm x 18m	1" x 60ft	12	SLIP RESISTANT GRIT SAFETY TAPE - CLEAR	Clear Solid Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.
NS5102C	50mm x 18m	2" x 60ft	6		
NS5103C	75mm x 18m	3" x 60ft	4		
NS5104C	100mm x 18m	4" x 60ft	3		
NS5106C	150mm x 18m	6" x 60ft	2		
NS5112C	300mm x 18m	12" x 60ft	1		
NS5118C	450mm x 18m	18" x 60ft	1		
NS5124C	600mm x 18m	24" x 60ft	1		
NS5136C	900mm x 18m	36" x 60ft	1		
NS5142C	1000mm x 18m	42" x 60ft	1		
NS5101Y	25mm x 18m	1" x 60ft	12	SLIP RESISTANT GRIT SAFETY TAPE - YELLOW	Yellow Solid Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.
NS5102Y	50mm x 18m	2" x 60ft	6		
NS5103Y	75mm x 18m	3" x 60ft	4		
NS5104Y	100mm x 18m	4" x 60ft	3		
NS5106Y	150mm x 18m	6" x 60ft	2		
NS5112Y	300mm x 18m	12" x 60ft	1		
NS5118Y	450mm x 18m	18" x 60ft	1		
NS5124Y	600mm x 18m	24" x 60ft	1		
NS5136Y	900mm x 18m	36" x 60ft	1		
NS5142Y	1000mm x 18m	42" x 60ft	1		
NS5101R	25mm x 18m	1" x 60ft	12	SLIP RESISTANT GRIT SAFETY TAPE - RED	Solid Red Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.
NS5102R	50mm x 18m	2" x 60ft	6		
NS5103R	75mm x 18m	3" x 60ft	4		
NS5104R	100mm x 18m	4" x 60ft	3		
NS5106R	150mm x 18m	6" x 60ft	2		
NS5112R	300mm x 18m	12" x 60ft	1		
NS5118R	450mm x 18m	18" x 60ft	1		
NS5124R	600mm x 18m	24" x 60ft	1		
NS5136R	900mm x 18m	36" x 60ft	1		
NS5142R	1000mm x 18m	42" x 60ft	1		

NS5101O	25mm x 18m	1" x 60ft	12
NS5102O	50mm x 18m	2" x 60ft	6
NS5103O	75mm x 18m	3" x 60ft	4
NS5104O	100mm x 18m	4" x 60ft	3
NS5106O	150mm x 18m	6" x 60ft	2
NS5112O	300mm x 18m	12" x 60ft	1
NS5118O	450mm x 18m	18" x 60ft	1
NS5124O	600mm x 18m	24" x 60ft	1
NS5136O	900mm x 18m	36" x 60ft	1
NS5142O	1000mm x 18m	42" x 60ft	1

**SLIP RESISTANT GRIT SAFETY TAPE
- ORANGE**

Solid Orange Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.

NS5101GR	25mm x 18m	1" x 60ft	12
NS5102GR	50mm x 18m	2" x 60ft	6
NS5103GR	75mm x 18m	3" x 60ft	4
NS5104GR	100mm x 18m	4" x 60ft	3
NS5106GR	150mm x 18m	6" x 60ft	2
NS5112GR	300mm x 18m	12" x 60ft	1
NS5118GR	450mm x 18m	18" x 60ft	1
NS5124GR	600mm x 18m	24" x 60ft	1
NS5136GR	900mm x 18m	36" x 60ft	1
NS5142GR	1000mm x 18m	42" x 60ft	1

**SLIP RESISTANT GRIT SAFETY TAPE
- GREY**

Solid Grey Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.

NS5101GN	25mm x 18m	1" x 60ft	12
NS5102GN	50mm x 18m	2" x 60ft	6
NS5103GN	75mm x 18m	3" x 60ft	4
NS5104GN	100mm x 18m	4" x 60ft	3
NS5106GN	150mm x 18m	6" x 60ft	2
NS5112GN	300mm x 18m	12" x 60ft	1
NS5118GN	450mm x 18m	18" x 60ft	1
NS5124GN	600mm x 18m	24" x 60ft	1
NS5136GN	900mm x 18m	36" x 60ft	1
NS5142GN	1000mm x 18m	42" x 60ft	1

**SLIP RESISTANT GRIT SAFETY TAPE
- GREEN**

Solid Green Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.

NS5101BU	25mm x 18m	1" x 60ft	12
NS5102BU	50mm x 18m	2" x 60ft	6
NS5103BU	75mm x 18m	3" x 60ft	4
NS5104BU	100mm x 18m	4" x 60ft	3
NS5106BU	150mm x 18m	6" x 60ft	2
NS5112BU	300mm x 18m	12" x 60ft	1
NS5118BU	450mm x 18m	18" x 60ft	1
NS5124BU	600mm x 18m	24" x 60ft	1
NS5136BU	900mm x 18m	36" x 60ft	1
NS5142BU	1000mm x 18m	42" x 60ft	1

**SLIP RESISTANT GRIT SAFETY TAPE
- DARK BLUE**

Solid Dark Blue Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.

NS5101LB	25mm x 18m	1" x 60ft	12	SLIP RESISTANT GRIT SAFETY TAPE - LIGHT BLUE Solid Dark Blue Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.
NS5102LB	50mm x 18m	2" x 60ft	6	
NS5103LB	75mm x 18m	3" x 60ft	4	
NS5104LB	100mm x 18m	4" x 60ft	3	
NS5106LB	150mm x 18m	6" x 60ft	2	
NS5112LB	300mm x 18m	12" x 60ft	1	
NS5118LB	450mm x 18m	18" x 60ft	1	
NS5124LB	600mm x 18m	24" x 60ft	1	
NS5136LB	900mm x 18m	36" x 60ft	1	
NS5142LB	1000mm x 18m	42" x 60ft	1	

NS5101YB	25mm x 18m	1" x 60ft	12	SLIP RESISTANT GRIT SAFETY TAPE - YELLOW & BLACK DIAGONAL Yellow & Black Diagonal Strip Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers. "Caution" Legend "Watch Your Step" Legend that provides a clear message to workers and also provide an anti-skid surface to your hazardous areas.
NS5102YB	50mm x 18m	2" x 60ft	6	
NS5103YB	75mm x 18m	3" x 60ft	4	
NS5104YB	100mm x 18m	4" x 60ft	3	
NS5106YB	150mm x 18m	6" x 60ft	2	
NS5112YB	300mm x 18m	12" x 60ft	1	
NS5118YB	450mm x 18m	18" x 60ft	1	
NS5124YB	600mm x 18m	24" x 60ft	1	
NS5136YB	900mm x 18m	36" x 60ft	1	
NS5142YB	1000mm x 18m	42" x 60ft	1	
NS5100YB-6X24	150mm x 6m	6" x 24"	50	
NS5100-6X24-CAUTION	150mm x 6m	6" x 24"	24	
NS5100-6x24-WATCHYOUR-STEP	150mm x 6m	6" x 24"	24	

NS5101WR	25mm x 18m	1" x 60ft	12	SLIP RESISTANT GRIT SAFETY TAPE - WHITE & RED DIAGONAL Red & White Diagonal Stripe Anti-Slip High Traction Safety Tape 60 grit. Apply for traction and durable protection, suitable for recreational areas such playgrounds, pool areas, campers, stairways, work areas, machine shops, hazardous floor areas, industrial equipment, lawn equipment, trucks and trailers.
NS5102WR	50mm x 18m	2" x 60ft	6	
NS5103WR	75mm x 18m	3" x 60ft	4	
NS5104WR	100mm x 18m	4" x 60ft	3	
NS5106WR	150mm x 18m	6" x 60ft	2	
NS5112WR	300mm x 18m	12" x 60ft	1	
NS5118WR	450mm x 18m	18" x 60ft	1	
NS5124WR	600mm x 18m	24" x 60ft	1	
NS5136WR	900mm x 18m	36" x 60ft	1	
NS5142WR	1000mm x 18m	42" x 60ft	1	



ITEM NO SIZE DESCRIPTION

NS4100 - 16 x 34C SLIP RESISTANT TEXTURED BATH MATS - CLEAR VINYL
40 x 86 cm Rectangle Price per mat
Non abrasive embossed PVC with pressure sensitive adhesive peel and stick. Barefoot friendly and mop friendly. Designed for tubs and showers.

SLIP RESISTANT TEXTURED BATH MATS - WHITE VINYL

NS4100 - 16 x 34W 40 x 86 cm Rectangle

NS4400 - 16 x 34W 40 x 86 cm Rectangle **Coarse**

NS4100 - 16 x 40W 40 x 100 cm Rectangle

NS4100 - 24 x 24W 60 x 60 cm Shower Mats

Non abrasive embossed PVC with pressure sensitive adhesive peel and stick. Barefoot friendly and mop friendly. Designed for tubs and showers. (We recommend SSC-141 to easily remove old appliques or strips in bathtubs.)

NS4550 - 16 x 34C **SLIP RESISTANT RESILIENT BATH MATS - CLEAR RUBBERISED VINYL**

Anti-Slip Rubberized Vinyl safety bath mat. Rough textured for firm traction. Comfortable for barefoot traffic and bathing. Easy to clean and mop friendly. Clear for added aesthetic benefit. 40 x 86 cm Rectangle.

ITEM NO	SIZE ROLLS	SIZE ROLLS	PER CASE	DESCRIPTION
NS4101C	25mm x 18m	1" x 60ft	12	SAFETY TAPE - CLEAR VINYL FINE Anti-Slip vinyl safety tape. Suitable for showers, bathtubs stairs treads, boats, locker rooms, therapy rooms, and equipment entry ways, swimming pools, step stools, golf carts, aquatic equipment, and many more applications. Non abrasive embossed PVC. Barefoot friendly and mop friendly. Designed for indoor wet application.
NS4102C	50mm x 18m	2" x 60ft	6	
NS4103C	75mm x 18m	3" x 60ft	4	
NS4104C	100mm x 18m	4" x 60ft	3	
NS4106C	150mm x 18m	6" x 60ft	2	
NS4112C	300mm x 18m	12" x 60ft	1	
NS4118C	450mm x 18m	18" x 60ft	1	
NS4124C	600mm x 18m	24" x 60ft	1	
NS4136C	900mm x 18m	36" x 60ft	1	
NS4148C	1219mm x 18m	48" x 60ft	1	
NS4101W	25mm x 18m	1" x 60ft	12	SAFETY TAPE - WHITE VINYL FINE Anti-Slip vinyl safety tape. Suitable for showers, bathtubs stairs treads, boats, locker rooms, therapy rooms, and equipment entry ways, swimming pools, step stools, golf carts, aquatic equipment, and many more applications. Non abrasive embossed PVC. Barefoot friendly and mop friendly. Designed for indoor wet application.
NS4102W	50mm x 18m	2" x 60ft	6	
NS4103W	75mm x 18m	3" x 60ft	4	
NS4104W	100mm x 18m	4" x 60ft	3	
NS4106W	150mm x 18m	6" x 60ft	2	
NS4112W	300mm x 18m	12" x 60ft	1	
NS4118W	450mm x 18m	18" x 60ft	1	
NS4124W	600mm x 18m	24" x 60ft	1	
NS4136W	900mm x 18m	36" x 60ft	1	
NS4148W	1219mm x 18m	48" x 60ft	1	
NS4401W	25mm x 18m	1" x 60ft	12	SAFETY TAPE - WHITE VINYL COARSE Anti Slip Coarse vinyl safety tape. Suitable for showers, bathtubs stairs treads, boats, locker rooms, therapy rooms, and equipment entryways, swimming pools, step stools, golf carts, aquatic equipment, playground power lawn care machinery, exercise equipment and many more applications. Non abrasive embossed PVC. Barefoot friendly and mop friendly. Designed for indoor wet application.
NS4402W	50mm x 18m	2" x 60ft	6	
NS4403W	75mm x 18m	3" x 60ft	4	
NS4404W	100mm x 18m	4" x 60ft	3	
NS4406W	150mm x 18m	6" x 60ft	2	
NS4412W	300mm x 18m	12" x 60ft	1	
NS4418W	450mm x 18m	18" x 60ft	1	
NS4424W	600mm x 18m	24" x 60ft	1	
NS4436W	900mm x 18m	36" x 60ft	1	
NS4448W	1219mm x 18m	48" x 60ft	1	

NS4401B	25mm x 18m	1" x 60ft	12	SAFETY TAPE - BLACK VINYL COARSE Anti Slip Coarse vinyl safety tape. Suitable for showers, bathtubs stairs treads, boats, locker rooms, therapy rooms, and equipment entry ways, swimming pools, step stools, golf carts, aquatic equipment, playground power lawn care machinery, exercise equipment and many more applications. Non abrasive embossed PVC. Barefoot friendly and mop friendly. Designed for indoor wet application.
NS4402B	50mm x 18m	2" x 60ft	6	
NS4403B	75mm x 18m	3" x 60ft	4	
NS4404B	100mm x 18m	4" x 60ft	3	
NS4406B	150mm x 18m	6" x 60ft	2	
NS4412B	300mm x 18m	12" x 60ft	1	
NS4418B	450mm x 18m	18" x 60ft	1	
NS4424B	600mm x 18m	24" x 60ft	1	
NS4436B	900mm x 18m	36" x 60ft	1	
NS4448B	1219mm x 18m	48" x 60ft	1	

NS45101B	25mm x 18m	1" x 60ft	12	SLIP RESISTANT RESILIENT TAPE - BLACK RUBBERISED VINYL Rugged, Anti-Slip Resilient Rubberised Vinyl safety tape. Rough textured for Firm Traction. Suitable for step stools, golf carts, aquatic equipment, playground apparatus, power lawn machines entry ways, and dozens more. Designed for heavy shoe traffic but comfortable for barefoot traffic. Suitable for industrial and commercial applications. Easy to clean and mop friendly.
NS45102B	50mm x 18m	2" x 60ft	6	
NS45103B	75mm x 18m	3" x 60ft	4	
NS45104B	100mm x 18m	4" x 60ft	3	
NS45106B	150mm x 18m	6" x 60ft	2	
NS45112B	300mm x 18m	12" x 60ft	1	
NS45118B	450mm x 18m	18" x 60ft	1	
NS45024B	600mm x 18m	24" x 60ft	1	
NS45036B	900mm x 18m	36" x 60ft	1	
NS45048B	1219mm x 18m	48" x 60ft	1	

NS45201G	25mm x 18m	1" x 60ft	12	SLIP RESISTANT RESILIENT TAPE - GREY RUBBERISED VINYL Rugged, Anti-Slip Resilient Rubberised Vinyl safety tape. Rough textured for Firm Traction. Suitable for step stools, golf carts, aquatic equipment, playground apparatus, power lawn machines entry ways, and dozens more. Designed for heavy shoe traffic but comfortable for barefoot traffic. Suitable for industrial and commercial applications. Easy to clean and mop friendly.
NS45202G	50mm x 18m	2" x 60ft	6	
NS45203G	75mm x 18m	3" x 60ft	4	
NS45204G	100mm x 18m	4" x 60ft	3	
NS45206G	150mm x 18m	6" x 60ft	2	
NS45212G	300mm x 18m	12" x 60ft	1	
NS45218G	450mm x 18m	18" x 60ft	1	
NS45224G	600mm x 18m	24" x 60ft	1	
NS45236G	900mm x 18m	36" x 60ft	1	
NS45248G	1219mm x 18m	48" x 60ft	1	

NS45501C	25mm x 18m	1" x 60ft	12	SLIP RESISTANT RESILIENT TAPE - CLEAR RUBBERISED VINYL Rugged, Anti-Slip Resilient Rubberised Vinyl safety tape. Rough textured for Firm Traction. Suitable for step stools, golf carts, aquatic equipment, playground apparatus, power lawn machines entry ways, and dozens more. Designed for heavy shoe traffic but comfortable for barefoot traffic. Suitable for industrial and commercial applications. Easy to clean and mop friendly.
NS45502C	50mm x 18m	2" x 60ft	6	
NS45503C	75mm x 18m	3" x 60ft	4	
NS45504C	100mm x 18m	4" x 60ft	3	
NS45506C	150mm x 18m	6" x 60ft	2	
NS45512C	300mm x 18m	12" x 60ft	1	
NS45518C	450mm x 18m	18" x 60ft	1	
NS45524C	600mm x 18m	24" x 60ft	1	
NS45536C	900mm x 18m	36" x 60ft	1	
NS45548C	1219mm x 18m	48" x 60ft	1	

NS75101	25mm x 9m	1" x 30ft	6	PHOTO LUMINESCENT PROMO GRADE GLOW IN THE DARK TAPE - NO GRIT Peel & Stick Tape that glows in the dark. For emergency exits, passageways, staircases, and under condition of power failure 1+ hours & recharge is 5 + minutes.
NS75102	50mm x 9m	2" x 30ft	3	
NS75103	75mm x 9m	3" x 30ft	2	
NS75106	150mm x 9m	6" x 30ft	1	

NS75201	25mm x 9m	1" x 30ft	6	PHOTO LUMINESCENT SAFETY GRADE GLOW IN THE DARK TAPE - NO GRIT Peel & Stick Tape that glows in the dark. For emergency exits, passageways, staircases, and under condition of power failure Photoluminescent, 10 packs per case Photoluminescent, 10 packs per case Black Stripe Photoluminescent Green Stripe Photoluminescent Red Stripe Photoluminescent Illumination Duration Time to 0.32mcd/m2 = 6+ hours & recharge is 5+ minutes.
NS75202	50mm x 9m	2" x 30ft	3	
NS75203	75mm x 9m	3" x 30ft	2	
NS75206	150mm x 9m	6" x 30ft	1	
NS7520-3-CIR20	75mm Circles	3" Circles	20/ pack	
NS7520-3-ARR20	75mm Arrow	3" Arrow	20/ pack	
NS7520STB	50mm x 9m	2" x 30ft	3	
NS7520STG	50mm x 9m	2" x 30ft	3	
NS7520STR	50mm x 9m	2" x 30ft	3	

NS75501HT	25mm x 9m	1" x 30ft	6	PHOTO LUMINESCENT HIGH TACK SAFETY GRADE GLOW IN THE DARK TAPE - NO GRIT Peel & Stick Tape that glows in the dark. For emergency exits, passageways, staircases, and under condition of power failure with High Tack Adhesive for low energy surfaces Illumination Duration Time to 0.32mcd/m2 - 24+ hours, recharge time 5+ minutes
NS75502HT	50mm x 9m	2" x 30ft	3	
NS75503HT	75mm x 9m	3" x 30ft	2	
NS7550HT-CIR20	75mm Circles	3" Circles	20/ pack	High Tack Photoluminescent, 10 packs per case
NS7750HTARR	75mm Arrow	3" Arrow	20/ pack	High Tack Photoluminescent, 10 packs per case

NS4201PH	25mm x 18m	1" x 60ft	12	ANTI SLIP PHOTOLUMINESCENT GRIT TAPE Glow In The Dark Antislip Safety Tape, Grit Anti slip grit tape with excellent luminescent properties. For emergency exits, staircases, Etc.
NS4202PH	50mm x 18m	2" x 60ft	6	
NS4204PH	100mm x 18m	4" x 60ft	3	
NS4206PH	150mm x 18m	6" x 60ft	2	
NS4212PH	300mm x 18m	12" x 60ft	1	



NS4301PH	25mm x 18m	1" x 60ft	12	PREMIUM ANTI-SLIP PHOTOLUMINESCENT GRIT TAPE - Safety Grade Glow in the Dark Anti Slip Safety Tape, Anti Slip Grit tape with excellent luminescent properties. For emergency exits, staircases, etc.
NS4302PH	50mm x 18m	2" x 60ft	6	
NS4304PH	100mm x 18m	4" x 60ft	3	
NS4306PH	150mm x 18m	6" x 60ft	2	
NS4300PH-6X24-10	150mm x 6m	6" x 24", 10(per case)	10/ pack	

NS5702B	50mm x 18m	2" x 60ft	6	ANTI SLIP CONFORMABLE GRIT TAPE Our conformable aluminum foil backed high traffic anti slip tape conforms to most irregular surfaces like tread plate metal flooring, heavily textured surfaces, stair nosings. Our conformable foil backed grit tape resists lifting and flagging better than conventional grit tape. It has our 60 grit aluminum oxide texture and an aggressive adhesive system making it a very suitable all around choice for many different surfaces.
NS5704B	100mm x 18m	4" x 60ft	3	
NS5706B	150mm x 18m	6" x 60ft	2	
NS5712B	300mm x 18m	12" x 60ft	1	
NS5700B-6X24	150mm x 7.3m	6" x 24ft	10/ pack	



Southern Engineering Services Group



Head Office

503-505 Princes Highway (PO Box 193)
Fairy Meadow NSW 2519 Australia
Phone 61 2 4283 9100
Email seswol@sesgroup.com.au

www.sesgroup.com.au



SES
BEARINGS &
TRANSMISSION

SES Bearings & Power Transmission - Unanderra

15 Prince of Wales Avenue Unanderra NSW 2526 Phone 61 2 4272 2377 Email bearings@sesgroup.com.au

SES Bearings & Power Transmission - Newcastle

132 Hannell Street Wickham NSW 2293 Phone 61 2 4962 2777 Email newcastlesales@sesgroup.com.au

SES Bearings & Power Transmission - Muswellbrook

210 Bridge Street Muswellbrook NSW 2333 Phone 61 2 6543 4500 Email muswellbrooksales@sesgroup.com.au

SES Linear Bearings - Melbourne

2 Corporate Avenue Rowville VIC 3178 Phone 61 3 9755 6044 Email sales@linearbearings.com.au

SES Linear Bearings - Adelaide

Unit 2, 2 Belfree Drive Green Fields SA 5107 Phone 61 8 8283 4177 Email sasales@linearbearings.com.au

SES Linear Bearings - Brisbane

Unit 4, 1645 Ipswich Road Rocklea QLD 4106 Phone 61 7 3274 3388 Email qldsales@linearbearings.com.au

SES Linear Bearings - Perth

Unit 2, 55 John Street Bentley WA 6102 Phone 61 8 9358 2444 Email wasaless@linearbearings.com.au

SES Linear Bearings - Sydney

19/14 Sheridan Close Milperra NSW 2214 Phone 61 2 9792 7188 Email nswsales@linearbearings.com.au

SES Linear Bearings - New Zealand

Unit 1, 138 Harris Road East Tamaki Auckland NZ Phone 64 9 273 9723 Email sales@linear.co.nz

SES Newvale Engineering

18 Bessemer Street Blacktown NSW 2148 Phone 61 2 9672 4200 Email newvale.engineering@sesgroup.com.au

SES Bomond Trading

49 Orchard Road Brookvale NSW 2100 Phone 61 2 9939 1344 Email bomond@sesgroup.com.au

SES No Skidding

49 Orchard Road Brookvale NSW 2100 Phone 61 2 9939 1344 Email noskidding@sesgroup.com.au



SES
ENVIRONMENTAL
SERVICES



SES
LUBRICATION

SES Lubrication

19/14 Sheridan Close Milperra NSW 2214 Phone 61 2 9792 7188 Email lubrication@sesgroup.com.au



SES
MECHANICAL
REBUILD
WORKSHOPS

SES Mechanical Engineering Services - Newcastle

2/46 Munibung Road Cardiff NSW 2285 Phone 61 2 4954 9777 Email newcastlesales@sesgroup.com.au

SES Mechanical Engineering Services - Unanderra

14 Waverley Drive Unanderra NSW 2526 Phone 61 2 4272 2217 Email workshop@sesgroup.com.au



SES
MINING &
INDUSTRIAL

SES Mining & Industrial - Unanderra

11 Prince of Wales Avenue Unanderra NSW 2526 Phone 61 2 4271 1444 Email mining@sesgroup.com.au

SES Mining & Industrial - Emerald

Lot 24 Glasson Street Emerald QLD 4720 Phone 61 7 4982 2466 Email qldorders@sesgroup.com.au

SES Mining & Industrial - Kurri Kurri

153 Mitchell Avenue Kurri Kurri NSW 2327 Phone 61 2 4936 4411 Email mining_hv@sesgroup.com.au

SES Mining & Industrial - Port Kembla

36-38 Gloucester Boulevard Port Kembla NSW 2505 Phone 61 2 4276 2322 Email atmining@sesgroup.com.au

SES Pumpcare International - Kalgoorlie

159-161 Dugan Street Kalgoorlie WA 6430 Phone 61 8 9021 4044 Email pumpcare@sesgroup.com.au
Free call 1800 4PUMPS

SES Pumpcare International - Perth

Unit 2/1956 Beach Road Malaga WA 6090 Phone 61 8 9209 1377 Email pumpcare@sesgroup.com.au
Free call 1800 4PUMPS



SES
PROCESS
ENGINEERING

SES Process Engineering

503-505 Princes Highway Fairy Meadow NSW 2519 Phone 61 2 4283 9100 Email steel@sesgroup.com.au

SES Western Australia

Unit 2/1956 Beach Road Malaga WA 6090 Phone 61 8 9249 2951 Email ses@inet.net.au



SES
RAIL
SERVICES

SERS Southern Engineering Rail Services

19/14 Sheridan Close Milperra NSW 2214 Phone 61 2 4283 9100 Email rail@sesgroup.com.au